

~~SECRET~~/STIPPLED/NOFORN/WNINTEL  
SPECIAL ACCESS REQUIRED

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

---

PROJECT NUMBER: D004                      SESSION NUMBER: 01  
DATE OF SESSION: 19 SEP 90              DATE OF REPORT: 19 SEP 90  
START: 1415                              END: 1500  
METHODOLOGY: SOLO                      VIEWER IDENTIFIER: 018

---

1. (S/STD) MISSIONS: Within the area of search located near T-2560 and T-2561, locate the plastic cup containing a small red florescent ball. Reflect results on a sketch representing the search area of interest.

2. (S/STD) VIEWER TASKING: Comply with requirements reflected in Para 1. Describe methodology used in a separate summary.

3. (S/STD) COMMENTS: No inclemencies noted. A Summary of Information is attached to this report. Results of search were unsuccessful; several hundred feet off the mark. 018 is attempting to direction-find while utilizing several methodologies.

4. (S/STD) EVALUATION:

5. (S/STD) SEARCH EVALUATION: *1*

HANDLE VIA SKEET CHANNELS ONLY

~~SECRET~~/STIPPLED/NOFORN/WNINTEL  
SPECIAL ACCESS REQUIRED

CLASSIFIED BY: DCSINT (PD)  
DECLASSIFY ON: OADR


WORKING PAPER

Project: DF-004  
Date: 900919  
Time: 1405-1430  
Viewer: 018

SUMMARY OF INFORMATION:

1. TASKING: Determine the location of a hidden target in a confined area of land.
2. METHODOLOGY<sup>1</sup>: I started at the "central tree" and felt for warmth from the target (the weather was very cold).
3. RESULTS: The attached map indicates the results of this method, and the path traveled as I progressed. The standard formula<sup>2</sup> for computing locational error within confined boundaries indicates this as 35.64% accuracy (Very Poor).

- <sup>1</sup> Six different methods were used for this target, with success rates ranging from 76.36% accuracy (pendulum method) to 23.64% accuracy ("first impression"). Results of these methods are kept in personal records.
- <sup>2</sup> Percent accuracy is determined by the standard formula for computing locational error within confined boundaries:  
$$100 * (1 - (\text{ACTUAL ERROR} / \text{MAXIMUM POSSIBLE ERROR}))$$
- <sup>3</sup> The same target (D004) was tried earlier in the day with the strong feeling in each method that the target was not in the area. This was later found to be true.



Bldg 2561

DUMPER

Bldg 2560